

## Procedure Locations:

□ David H Koch Building  
Endoscopy Center  
1283 York Avenue, 8<sup>th</sup> Floor  
New York, NY 10065

□ New York Presbyterian  
Hospital  
Central Endoscopy Suite  
525 East 68<sup>th</sup> Street, 2<sup>nd</sup> Floor  
Greenberg Pavilion  
New York, NY 10065

□ Lower Manhattan Hospital  
Endoscopy Suite  
170 Williams Street,  
2<sup>nd</sup> Floor  
New York, NY 10028

### CANCELLATION

Scheduling procedures requires careful planning between the staff, doctors, and hospital. To help avoid delays, it is important that you follow the schedule. If you must reschedule or cancel, please call us at least 3 days prior to the procedure at 646-962-4000 or email us at [endoscopyquestions@med.cornell.edu](mailto:endoscopyquestions@med.cornell.edu). Thank you for your help and consideration.

An Upper Endoscopy is a test that uses a scope to look inside your esophagus, stomach and first part of the small



The Day Before Your Exam  
No solid food after midnight.

**IF you are on a GLP -1 receptor agonist** You should be on a clear liquid diet  
For the entire day.

You can only have clear liquids , such as Jell-o, popsicles, broth, tea, black coffee and juice  
The rule is if you can see through it you can drink it. NO MILK OR CREAMERS  
You cannot eat solid food until AFTER your exam

You can buy these as needed from the Grocery St

Upon arrival, there